

18 水稲うるち玄米年

銘柄名	地区別 等級	令和5年産					
		県計	内			庄内	
			村山	最上	陸		
			置賜	計			
合計	構成比	100.0	27.7	12.8	18.1	58.6	41.4
	1 等	43.2	50.1	79.9	60.4	59.8	19.6
	2 等	54.4	47.7	19.1	37.8	38.4	76.9
	3 等	1.9	1.6	0.8	1.2	1.3	2.6
	規格外	0.6	0.6	0.2	0.5	0.5	0.8
はえぬき	構成比	100.0	29.2	13.3	15.3	57.8	42.2
	1 等	32.7	38.6	78.5	43.7	49.2	10.1
	2 等	65.0	59.0	20.5	54.7	49.0	87.0
	3 等	2.2	2.0	0.8	1.6	1.6	2.9
	規格外	0.2	0.4	0.2	0.1	0.2	0.1
つや姫	構成比	100.0	25.5	9.7	23.4	58.7	41.3
	1 等	51.1	66.7	79.9	80.4	74.4	18.2
	2 等	48.6	33.1	20.0	19.5	25.5	81.5
	3 等	0.2	0.1	0.1	0.1	0.1	0.3
	規格外	0.0	0.0	0.0	0.0	0.0	0.0
雪若丸	構成比	100.0	25.2	14.5	23.3	62.9	37.1
	1 等	84.9	91.5	95.2	94.7	93.5	70.2
	2 等	14.9	8.2	4.6	5.2	6.2	29.6
	3 等	0.2	0.2	0.3	0.1	0.2	0.2
	規格外	0.0	0.2	0.0	0.0	0.1	0.0
ひとめぼれ	構成比	100.0	25.3	8.5	12.2	46.0	54.0
	1 等	54.3	61.2	81.3	74.3	68.4	42.3
	2 等	43.1	36.6	18.2	25.2	30.2	54.1
	3 等	2.4	1.5	0.3	0.4	1.0	3.6
	規格外	0.2	0.7	0.3	0.0	0.4	0.0
コシヒカリ	構成比	100.0	30.0	8.9	37.6	76.6	23.4
	1 等	43.6	47.4	72.1	56.2	54.6	7.8
	2 等	53.5	49.3	26.7	42.7	43.4	86.4
	3 等	2.8	3.2	1.2	1.1	1.9	5.5
	規格外	0.1	0.1	0.1	0.0	0.1	0.2
あきたこまち	構成比	100.0	37.1	45.5	7.8	90.5	9.5
	1 等	65.9	61.0	66.9	78.9	65.5	69.6
	2 等	30.8	33.3	31.6	19.8	31.3	26.4
	3 等	1.8	2.9	1.2	1.4	1.9	0.8
	規格外	1.5	2.8	0.3	0.0	1.3	3.2
その他	構成比	100.0	19.5	14.1	22.2	55.7	44.3
	1 等	39.5	48.4	79.7	35.4	51.1	25.0
	2 等	38.8	35.7	13.6	47.7	34.9	43.8
	3 等	8.4	5.8	5.7	6.5	6.1	11.2
	規格外	13.2	10.1	1.0	10.4	7.9	19.9

- 注：1) 各年検査数量は翌3月末現在。
 2) 構成比は、検査数量の地域別割合。
 3) 四捨五入の関係で計と内訳が一致しない場合がある。
 4) 地域別の検査成績は、登録検査機関の所在する市町村に基づき集計したものである。
 (村山には県集連系で検査を行った全県分が含まれる。村山には穀検で検査を行った全県分が含まれる。)

産別銘柄別検査成績

単位：%

銘柄名	令和4年産						銘柄名	令和3年産					
	県計	内陸				庄内		県計	内陸				庄内
		村山	最上	置賜	計				村山	最上	置賜	計	
合	100.0	28.4	12.4	17.9	58.8	41.2	合	100.0	27.3	13.1	19.0	59.4	40.6
	95.2	94.7	94.4	94.7	94.6	96.0		93.9	92.8	91.0	93.4	92.6	96.0
	4.0	4.6	5.1	4.5	4.7	2.9		5.1	6.2	8.5	5.6	6.5	3.0
	0.3	0.4	0.4	0.2	0.3	0.2		0.4	0.6	0.4	0.3	0.5	0.2
計	0.6	0.3	0.1	0.6	0.4	0.9	計	0.6	0.5	0.1	0.7	0.5	0.8
はえぬき	100.0	30.1	13.0	15.6	58.7	41.3	はえぬき	100.0	28.6	14.1	17.2	59.9	40.1
	94.8	93.9	94.0	94.1	94.0	96.0		93.8	92.6	90.6	92.8	92.2	96.2
	4.8	5.6	5.6	5.3	5.5	3.7		5.6	6.6	8.8	6.2	7.0	3.5
	0.3	0.4	0.3	0.4	0.4	0.2		0.4	0.6	0.5	0.5	0.5	0.3
	0.1	0.1	0.1	0.1	0.1	0.0		0.2	0.2	0.1	0.6	0.3	0.0
つや姫	100.0	25.4	9.4	22.0	56.8	43.2	つや姫	100.0	24.9	9.7	22.4	57.0	43.0
	98.7	98.4	99.4	97.4	98.2	99.4		97.2	95.7	96.7	96.2	96.0	98.6
	1.3	1.6	0.6	2.5	1.8	0.6		2.5	4.0	3.3	3.0	3.5	1.2
	0.0	0.0	0.0	0.0	0.0	0.0		0.1	0.3	0.0	0.1	0.1	0.1
	0.0	0.0	0.0	0.1	0.0	0.0		0.2	0.0	0.0	0.8	0.3	0.0
雪若丸	100.0	26.9	13.7	22.4	63.0	37.0	雪若丸	100.0	24.2	13.5	24.2	61.9	38.1
	98.0	98.4	96.8	95.7	97.1	99.5		97.4	96.8	94.5	96.0	96.0	99.6
	1.9	1.4	3.2	4.2	2.8	0.5		2.5	3.2	5.5	3.6	3.9	0.4
	0.1	0.2	0.0	0.1	0.1	0.0		0.0	0.0	0.0	0.1	0.0	0.0
	0.0	0.0	0.0	0.1	0.0	0.0		0.1	0.0	0.0	0.3	0.1	0.0
ひとめぼれ	100.0	25.9	9.1	11.4	46.4	53.6	ひとめぼれ	100.0	23.7	9.5	10.9	44.1	55.9
	95.7	93.5	92.8	99.0	94.7	96.6		95.4	91.9	89.4	95.8	92.3	97.8
	4.0	6.1	6.9	0.9	5.0	3.2		4.1	6.6	9.8	3.8	6.6	2.1
	0.2	0.5	0.2	0.0	0.3	0.2		0.3	1.1	0.7	0.1	0.8	0.0
	0.0	0.0	0.1	0.0	0.0	0.0		0.2	0.3	0.2	0.3	0.3	0.1
コシヒカリ	100.0	30.1	6.6	38.6	75.3	24.7	コシヒカリ	100.0	27.7	7.0	42.5	77.2	22.8
	95.5	95.5	94.2	93.7	94.5	98.5		95.4	95.2	94.5	94.0	94.5	98.5
	4.2	3.8	5.4	6.0	5.1	1.4		4.0	4.3	5.2	5.1	4.8	1.2
	0.3	0.7	0.3	0.1	0.3	0.1		0.3	0.5	0.3	0.2	0.3	0.3
	0.1	0.1	0.0	0.2	0.1	0.0		0.3	0.0	0.0	0.7	0.4	0.0
あきたこまち	100.0	37.0	45.9	7.5	90.5	9.5	あきたこまち	100.0	37.9	46.9	6.6	91.4	8.6
	90.2	90.7	88.9	90.8	89.8	94.3		83.9	84.0	81.2	87.7	82.8	95.4
	9.1	7.8	10.9	9.2	9.5	5.7		15.0	14.2	18.0	11.4	16.0	4.6
	0.4	1.0	0.0	0.0	0.4	0.0		0.8	1.3	0.5	0.2	0.8	0.0
	0.2	0.5	0.1	0.0	0.2	0.0		0.3	0.5	0.2	0.7	0.4	0.0
その他	100.0	19.9	10.5	22.8	53.2	46.8	その他	100.0	26.4	11.0	20.4	57.8	42.2
	76.8	83.0	83.1	82.2	82.7	70.2		73.5	78.9	82.8	76.6	78.8	66.2
	6.8	6.1	10.0	6.2	6.9	6.6		13.0	10.3	15.6	18.2	14.1	11.6
	1.3	0.9	5.8	0.2	1.6	0.9		1.1	1.7	1.2	0.5	1.2	0.9
	15.1	10.0	1.1	11.4	8.8	22.3		12.4	9.1	0.4	4.8	5.9	21.2

(山形県農業技術環境課調べ)